Journal of Biomedical Materials Research
Author Index—Volume 44

Acarturk, T. O.
—; Peel, M. M.; Petrosko, P.; LaFramboise, W.; Johnson, P. C.; DiMilla, P. A.: Control of attachment, morphology, and proliferation of skeletal myoblasts on silanized glass, 355
Agrawal, C. M. See Wang, X., 456
Ahola, M. See Kortesuo, P., 162
Albrecht, W. See Groth, T., 341
Altankov, G. See Groth, T., 341
Anderson, J. M. See DeFife, K. M., 298
—; See Jenney, C. R., 206
—; See Yun, J. K., 87
Askendal, A. See Källtorp, M., 222

Balasubramanian, V.
—; Grusin, N. K.; Bucher, R. W.; Turitto, V. T.; Slack, S. M.: Residence-time dependent changes in fibrinogen adsorbed to polymeric biomaterials, 253
Baquey, C. See Fabre, T., 429
Barritault, D. See Blanquaert, F., 63
Belloc, F. See Fabre, T., 429
Bertrand-Barat, J. See Fabre, T., 429
Best, S. M. See Gibson, I. R., 422
Beugeling, T. See Bos, G. W., 330
Blanquaert, F.
—; Barritault, D.; Caruelle, J.-P.: Effects of heparan-like polymers associated with growth factors on osteoblast proliferation and phenotype expression, 63
Bonfield, W. See Gibson, I. R., 422
Bonneaux, F. See Zambaux, M. F., 109
Bos, G. W.
—; Scharenborg, N. M.; Poot, A. A.; Engbers, G. H. M.; Beugeling, T.; van Aken, W. G.; Feijen, J.: Proliferation of endothelial cells on surface-immobilized albumin–heparin conjugate loaded with basic fibroblast growth factor, 330
Bucher, R. W. See Balasubramanian, V., 253

Cansell, M.
—; Parisel, C.; Jozefonvicz, J.; Letourneur, D.: Liposomes coated with chemically modified dextran interact with human endothelial cells, 140
Caruelle, J.-P. See Blanquaert, F., 63
Carvalho, G. S. See Morais, S., 176
Chen, J.
—; Park, H.; Park, K.: Synthesis of superporous hydrogels: Hydrogels with fast swelling and superabsorbent properties, 53
Chignier, E. See Guidollet, J., 156
Clapper, D. L. See DeFife, K. M., 298
Couillaud, S. See Toquet, J., 98
Cui, F. Z. See Du, C., 407

Daculsi, G. See Toquet, J., 98
Dalton, B. A. See McFarland, C. D., 1
de Chalain, T.
—; Phillips, J. H.; Hinek, A.: Bioengineering of elastic cartilage with aggregated porcine and human auricular chondrocytes and hydrogels containing alginate, collagen, and κ-elastin, 280
de Groot, K. See Du, C., 407
DeFife, K. M.
—; Shive, M. S.; Hagen, K. M.; Clapper, D. L.; Anderson, J. M.: Effects of photochemically immobilized polymer coatings on protein adsorption, cell adhesion, and the foreign body reaction to silicone rubber, 298
Dellacherie, E. See Zambaux, M. F., 109
Dias, N. See Morais, S., 176
DiMilla, P. A. See Acarturk, T. O., 355
Ding, S.-J.
—; Ju, C.-P.; Lin, J.-H. C.: Characterization of hydroxyapatite and titanium coatings sputtered on Ti-6Al-4V substrate, 266
Dinh, S. M. See Variankaval, N. E., 397
Dohi, Y. See Ohgushi, H., 381
Downes, S. See McFarland, C. D., 1
Du, C.
—; Cui, F. Z.; Zhu, X. D.; de Groot, K.: Three-dimensional nano-HAp/collagen matrix loading with osteogenic cells in organ culture, 407
Dupuy, B. See Fabre, T., 429
Durandeau, A. See Fabre, T., 429

Engbers, G. H. M. See Bos, G. W., 330
Evans, N. D. See Roy, M. E., 191
Evans, P. See Zreiqat, H., 389

Fabre, T.
—; Belloc, F.; Dupuy, B.; Schappacher, M.; Soum, A.; Bertrand-Barat, J.; Baquey, C.; Durandeau, A.: Polymorphonuclear cell apoptosis in exudates generated by polymers, 429
Feijen, J. See Bos, G. W., 330
Felder III, G. See Wu, L., 371
Fernandes, M. H. See Morais, S., 176

Garner, B.
—; Georgevich, A.; Hodgson, A. J.; Liu, L.; Wallace, G. G.: Polypyrrole-heparin composites as stimulus-responsive substrates for endothelial cell growth, 121
Gayet, O. See Guidollet, J., 156
Georgevich, A. See Garner, B., 121
Geurtsen, W.
—; Spahl, W.; Leyhausen, G.: Variability of cytotoxicity and leaching of substances from four light-curing pit and fissure sealants, 73
Gibson, I. R.
—; Best, S. M.; Bonfield, W.: Chemical characterization of silicon-substituted hydroxyapatite, 422

Journal of Biomedical Materials Research
Author Index—Volume 44

Acarturk, T. O.
—; Peel, M. M.; Petrosko, P.; LaFramboise, W.; Johnson, P. C.; DiMilla, P. A.: Control of attachment, morphology, and proliferation of skeletal myoblasts on silanized glass, 355
Agrawal, C. M. See Wang, X., 456
Ahola, M. See Kortesuo, P., 162
Albrecht, W. See Groth, T., 341
Altankov, G. See Groth, T., 341
Anderson, J. M. See DeFife, K. M., 298
—; See Jenney, C. R., 206
—; See Yun, J. K., 87
Askendal, A. See Källtorp, M., 222

Balasubramanian, V.
—; Grusin, N. K.; Bucher, R. W.; Turitto, V. T.; Slack, S. M.: Residence-time dependent changes in fibrinogen adsorbed to polymeric biomaterials, 253
Baquey, C. See Fabre, T., 429
Barritault, D. See Blanquaert, F., 63
Belloc, F. See Fabre, T., 429
Bertrand-Barat, J. See Fabre, T., 429
Best, S. M. See Gibson, I. R., 422
Beugeling, T. See Bos, G. W., 330
Blanquaert, F.
—; Barritault, D.; Caruelle, J.-P.: Effects of heparan-like polymers associated with growth factors on osteoblast proliferation and phenotype expression, 63
Bonfield, W. See Gibson, I. R., 422
Bonneaux, F. See Zambaux, M. F., 109
Bos, G. W.
—; Scharenborg, N. M.; Poot, A. A.; Engbers, G. H. M.; Beugeling, T.; van Aken, W. G.; Feijen, J.: Proliferation of endothelial cells on surface-immobilized albumin–heparin conjugate loaded with basic fibroblast growth factor, 330
Bucher, R. W. See Balasubramanian, V., 253

Cansell, M.
—; Parisel, C.; Jozefonvicz, J.; Letourneur, D.: Liposomes coated with chemically modified dextran interact with human endothelial cells, 140
Caruelle, J.-P. See Blanquaert, F., 63
Carvalho, G. S. See Morais, S., 176
Chen, J.
—; Park, H.; Park, K.: Synthesis of superporous hydrogels: Hydrogels with fast swelling and superabsorbent properties, 53
Chignier, E. See Guidollet, J., 156
Clapper, D. L. See DeFife, K. M., 298
Couillaud, S. See Toquet, J., 98
Cui, F. Z. See Du, C., 407

Daculsi, G. See Toquet, J., 98
Dalton, B. A. See McFarland, C. D., 1
de Chalain, T.
—; Phillips, J. H.; Hinek, A.: Bioengineering of elastic cartilage with aggregated porcine and human auricular chondrocytes and hydrogels containing alginate, collagen, and κ-elastin, 280
de Groot, K. See Du, C., 407
DeFife, K. M.
—; Shive, M. S.; Hagen, K. M.; Clapper, D. L.; Anderson, J. M.: Effects of photochemically immobilized polymer coatings on protein adsorption, cell adhesion, and the foreign body reaction to silicone rubber, 298
Dellacherie, E. See Zambaux, M. F., 109
Dias, N. See Morais, S., 176
DiMilla, P. A. See Acarturk, T. O., 355
Ding, S.-J.
—; Ju, C.-P.; Lin, J.-H. C.: Characterization of hydroxyapatite and titanium coatings sputtered on Ti-6Al-4V substrate, 266
Dinh, S. M. See Variankaval, N. E., 397
Dohi, Y. See Ohgushi, H., 381
Downes, S. See McFarland, C. D., 1
Du, C.
—; Cui, F. Z.; Zhu, X. D.; de Groot, K.: Three-dimensional nano-HAp/collagen matrix loading with osteogenic cells in organ culture, 407
Dupuy, B. See Fabre, T., 429
Durandeau, A. See Fabre, T., 429

Engbers, G. H. M. See Bos, G. W., 330
Evans, N. D. See Roy, M. E., 191
Evans, P. See Zreiqat, H., 389

Fabre, T.
—; Belloc, F.; Dupuy, B.; Schappacher, M.; Soum, A.; Bertrand-Barat, J.; Baquey, C.; Durandeau, A.: Polymorphonuclear cell apoptosis in exudates generated by polymers, 429
Feijen, J. See Bos, G. W., 330
Felder III, G. See Wu, L., 371
Fernandes, M. H. See Morais, S., 176

Garner, B.
—; Georgevich, A.; Hodgson, A. J.; Liu, L.; Wallace, G. G.: Polypyrrole-heparin composites as stimulus-responsive substrates for endothelial cell growth, 121
Gayet, O. See Guidollet, J., 156
Georgevich, A. See Garner, B., 121
Geurtsen, W.
—; Spahl, W.; Leyhausen, G.: Variability of cytotoxicity and leaching of substances from four light-curing pit and fissure sealants, 73
Gibson, I. R.
—; Best, S. M.; Bonfield, W.: Chemical characterization of silicon-substituted hydroxyapatite, 422

Gorbet, M. B.
—; Yeo, E. L.; Sefton, M. V.: Flow cytometric study of *in vitro* neutrophil activation by biomaterials, 289
Gref, R. See Zambaux, M. F., 109
Groth, T.
—; Altankov, G.; Kostadinova, A.; Krasteva, N.; Albrecht, W.; Paul, D.: Altered vitronectin receptor (α_V integrin) function in fibroblasts adhering on hydrophobic glass, 341
Grunkemeier, J. M. See Tsai, W.-B., 130
Grusin, N. K. See Balasubramanian, V., 253
Guicheux, J. See Toquet, J., 98
Guidollet, J.
—; Chignier, E.; Pillot, R.; Gayet, O.; MacGregor, J.; Louisot, P.: Enhanced expression of P-selectin (CD62P) by endothelial cells seeded onto synthetic arterial prostheses (PET, Dacron®) is correlated with leukocyte interactions, 156

Hagen, K. M. See DeFife, K. M., 298
Hallé, J.-P. See Robitaille, R., 116
Hamanishi, C. See Ohura, K., 168
Hanawa, T.
—; Reply to Howlett's "Early bone formation around calcium-ion-implanted titanium inserted into rat tibia," 352
Hatzigiannis, G. P. See Orr, T. E., 308
Heilmann, H.-H. See Lindenhayn, K., 149
Helsen, J. A. See Schrooten, J., 243
Hench, L. L. See Oonishi, H., 31
Heymann, D. See Toquet, J., 98
Hinek, A. See de Chalain, T., 280
Hitchins, V. M. See Merritt, K., 261
Hodgson, A. J. See Garner, B., 121
Horbett, T. A. See Tsai, W.-B., 130
Howlett, C. R.
—; Early bone formation around calcium-ion-implanted titanium inserted into rat tibia, 352
—; See Zreiqat, H., 389

Ikeda, S. See Sato, H., 22
Ikemoto, N. See Sato, H., 22
Ishikawa, J. See Sato, H., 22
Ishikawa, K.
—; Miyamoto, Y.; Takechi, M.; Ueyama, Y.; Suzuki, K.; Nagayama, M.; Matsumura, T.: Effects of neutral sodium hydrogen phosphate on setting reaction and mechanical strength of hydroxyapatite putty, 322
Iwaki, H. See Oonishi, H., 31

Jacob, K. I. See Variankaval, N. E., 397
Jenney, C. R.
—; Anderson, J. M.: Effects of surface-coupled polyethylene oxide on human macrophage adhesion and foreign body giant cell formation *in vitro*, 206
Johnson, P. C. See Acarturk, T. O., 355
Jokinen, M. See Peltola, T., 12
Jozefonvicz, J. See Cansell, M., 140
Ju, C.-P. See Ding, S.-J., 266

Källtorp, M.
—; Askendal, A.; Thomsen, P.; Tengvall, P.: Ellipsometric studies *in vitro* on kinetics of rat complement activation, 222
Kangasniemi, I. See Kortesuo, P., 162
—; See Peltola, T., 12
Karikusa, F. See Yamato, M., 44
Karlsson, S. See Kortesuo, P., 162
Kasemo, B. See Lausmaa, J., 227
Kiesvaara, J. See Kortesuo, P., 162
Kikuchi, A. See Yamato, M., 44
Kim, P. See Peter, S. J., 314
Koerten, H. K.
—; van der Meulen, J.: Degradation of calcium phosphate ceramics, 78
Kortesuo, P.
—; Ahola, M.; Karlsson, S.; Kangasniemi, I.; Kiesvaara, J.; Yli-Urpo, A.: Sol-gel-processed sintered silica xerogel as a carrier in controlled drug delivery, 162
Kostadinova, A. See Groth, T., 341
Krasteva, N. See Groth, T., 341
Kushitani, S. See Oonishi, H., 31

LaFramboise, W. See Acarturk, T. O., 355
Lamoureux, M. See Robitaille, R., 116
Langer, R. See Ma, P. X., 217
Lausmaa, J.
—; Löfgren, P.; Kasemo, B.: Adsorption and coadsorption of water and glycine on TiO_2, 227
Leblond, F. A. See Robitaille, R., 116
LeGeros, R. Z. See Vallet-Regí, M., 416
Lepage, Y. See Robitaille, R., 116
Letourneur, D. See Cansell, M., 140
Levänen, E. See Peltola, T., 12
Leyhausen, G. See Geurtsen, W., 73
Lin, J.-H. C. See Ding, S.-J., 266
Lindenhayn, K.
—; Perka, C.; Spitzer, R.-S.; Heilmann, H.-H.; Pommerening, K.; Mennicke, J.; Sittinger, M.: Rentention of hyaluronic acid in alginate beads: Aspects for *in vitro* cartilage engineering, 149
Liu, L. See Garner, B., 121
Löfgren, P. See Lausmaa, J., 227
Louisot, P. See Guidollet, J., 156

Ma, P. X.
—; Langer, R.: Morphology and mechanical function of long-term *in vitro* engineered cartilage, 217
—; See Zhang, R., 446
MacGregor, J. See Guidollet, J., 156
Matsuda, N. See Ohura, K., 168
Matsumura, T. See Ishikawa, K., 322
Mayer, S. See McFarland, C. D., 1
McFarland, C. D.
—; Mayer, S.; Scotchford, C.; Dalton, B. A.; Steele, J. G.; Downes, S.: Attachment of cultured human bone cells to novel polymers, 1
Mennicke, J. See Lindenhayn, K., 149
Merritt, K.
—; Hitchins, V. M.; Neale, A. R.: Tissue colonization from implantable biomaterials with low numbers of bacteria, 261
Mikos, A. G. See Peter, S. J., 314
Minas, T. See Orr, T. E., 308
Miyamoto, Y. See Ishikawa, K., 322
Morais, S.
—; Dias, N.; Sousa, J. P.; Fernandes, M. H.; Carvalho, G. S.: *In vitro* osteoblastic differentiation of human bone marrow cells in the presence of metal ions, 176

Nagayama, M. See Ishikawa, K., 322
Nakajima, H. See Ohgushi, H., 381
Neale, A. R. See Merritt, K., 261
Nishimoto, S.-i. See Sato, H., 22

Ohgushi, H.
—; Yoshikawa, T.; Nakajima, H.; Tamai, S.; Dohi, Y.; Okunaga, K.: Al_2O_3 doped apatite-wollastonite containing glass ceramic provokes osteogenic differentiation of marrow stromal stem cells, 381

Ohura, K.
—; Hamanishi, C.; Tanaka, S.; Matsuda, N.: Healing of segmental bone defects in rats induced by a β-TCP-MCPM cement combined with rhBMP-2, 168
Okano, T. See Yamato, M., 44
Okuhara, M. See Yamato, M., 44
Okunaga, K. See Ohgushi, H., 381
Oldfield, F. F.
—; Yasuda, H. K.: ESR study of MMA polymerization of peroxide/amine system: Bone cement formation, 436
Oonishi, H.
—; Hench, L. L.; Wilson, J.; Sugihara, F.; Tsuji, E.; Kushitani, S.; Iwaki, H.: Comparative bone growth behavior in granules of bioceramic materials of various sizes, 31
Orr, T. E.
—; Patel, A. M.; Wong, B.; Hatzigiannis, G. P.; Minas, T.; Spector, M.: Attachment of periosteal grafts to articular cartilage with fibrin sealant, 308

Pariseau, J.-F. See Robitaille, R., 116
Parisel, C. See Cansell, M., 140
Park, H. See Chen, J., 53
Park, K. See Chen, J., 53
Passuti, N. See Toquet, J., 98
Patel, A. M. See Orr, T. E., 308
Paul, D. See Groth, T., 341
Peel, M. M. See Acarturk, T. O., 355
Peltola, T.
—; Jokinen, M.; Rahiala, H.; Levänen, E.; Rosenholm, J. B.; Kangasniemi, I.; Yli-Urpo, A.: Calcium phosphate formation on porous sol-gel-derived SiO_2 and CaO-P_2O_5-SiO_2 substrates *in vitro*, 12
Perka, C. See Lindenhayn, K., 149
Peter, S. J.
—; Kim, P.; Yasko, A. W.; Yaszemski, M. J.; Mikos, A. G.: Crosslinking characteristics of an injectable poly(propylene fumarate)/β-tricalcium phosphate paste and mechanical properties of the crosslinked composite for use as a biodegradable bone cement, 314
Petrosko, P. See Acarturk, T. O., 355
Pharr, G. M. See Roy, M. E., 191
Phillips, J. H. See de Chalain, T., 280
Pillot, R. See Guidollet, J., 156
Pitt, W. G. See Qian, Z., 198
Pommerening, K. See Lindenhayn, K., 149
Poot, A. A. See Bos, G. W., 330

Qian, Z.
—; Sagers, R. D.; Pitt, W. G.: Investigation of the mechanism of the bioacoustic effect, 198

Ragel, C. V. See Vallet-Regí, M., 416
Rahiala, H. See Peltola, T., 12
Rho, J.-Y. See Roy, M. E., 191
Robitaille, R.
—; Pariseau, J.-F.; Leblond, F. A.; Lamoureux, M.; Lepage, Y.; Hallé, J.-P.: Technical note: Studies on small (<350 μm) alginate-poly-L-lysine microcapsules. III. Biocompatibility of smaller versus standard microcapsules, 116
Rohanizadeh, R. See Toquet, J., 98
Romero, A. M. See Vallet-Regí, M., 416
Rosenberg, G. See Wu, L., 371
Rosenholm, J. B. See Peltola, T., 12
Roy, M. E.
—; Rho, J.-Y.; Tsui, T. Y.; Evans, N. D.; Pharr, G. M.: Mechanical and morphological variation of the human lumbar vertebral cortical and trabecular bone, 191
Rubash, H. E. See Wang, X., 456
Runt, J. See Wu, L., 371

Sagers, R. D. See Qian, Z., 198
Sakurai, Y. See Yamato, M., 44
Sato, H.
—; Tsuji, H.; Ikeda, S.; Ikemoto, N.; Ishikawa, J.; Nishimoto, S.-i.: Enhanced growth of human vascular endothelial cells on negative ion (Ag^-)-implanted hydrophobic surfaces, 22
Schappacher, M. See Fabre, T., 429
Scharenborg, N. M. See Bos, G. W., 330
Schrooten, J.
—; Van Oosterwyck, H.; Vander Sloten, J.; Helsen, J. A.: Adhesion of new bioactive glass coating, 243
Scotchford, C. See McFarland, C. D., 1
Sefton, M. V. See Gorbet, M. B., 289
Shanbhag, A. S. See Wang, X., 456
Shive, M. S. See DeFife, K. M., 298
Sittinger, M. See Lindenhayn, K., 149
Slack, S. M. See Balasubramanian, V., 253
Snyder, A. J. See Wu, L., 371
Soum, A. See Fabre, T., 429
Sousa, J. P. See Morais, S., 176
Spahl, W. See Geurtsen, W., 73
Spector, M. See Orr, T. E., 308
Spitzer, R.-S. See Lindenhayn, K., 149
Steele, J. G. See McFarland, C. D., 1
Sugihara, F. See Oonishi, H., 31
Suzuki, K. See Ishikawa, K., 322

Takechi, M. See Ishikawa, K., 322
Tamai, S. See Ohgushi, H., 381
Tanaka, S. See Ohura, K., 168
Tengvall, P. See Källtorp, M., 222
Thomsen, P. See Källtorp, M., 222
Toquet, J.
—; Rohanizadeh, R.; Guicheux, J.; Couillaud, S.; Passuti, N.; Daculsi, G.; Heymann, D.: Osteogenic potential *in vitro* of human bone marrow cells cultured on macroporous biphasic calcium phosphate ceramic, 98
Tsai, W.-B.
—; Grunkemeier, J. M.; Horbett, T. A.: Human plasma fibrinogen adsorption and platelet adhesion to polystyrene, 130
Tsui, T. Y. See Roy, M. E., 191
Tsuji, E. See Oonishi, H., 31
Tsuji, H. See Sato, H., 22
Turitto, V. T. See Balasubramanian, V., 253

Ueyama, Y. See Ishikawa, K., 322

Vallet-Regí, M.
—; Romero, A. M.; Ragel, C. V.; LeGeros, R. Z.: XRD, SEM-EDS, and FTIR studies of *in vitro* growth of an apatite-like layer on sol-gel glasses, 416
van Aken, W. G. See Bos, G. W., 330
van der Meulen, J. See Koerten, H. K., 78
Van Oosterwyck, H. See Schrooten, J., 243
Vander Sloten, J. See Schrooten, J., 243
Variankaval, N. E.
—; Jacob, K. I.; Dinh, S. M.: Crystallization of β-estradiol in an acrylic transdermal drug delivery system, 397
Vigneron, C. See Zambaux, M. F., 109

Wallace, G. G. See Garner, B., 121
Wang, X.
—; Shanbhag, A. S.; Rubash, H. E.; Agrawal, C. M.: Short-term effects

of bisphosphonates on the biomechanical properties of canine bone, 456
Weisberg, D. M. See Wu, L., 371
Wilson, J. See Oonishi, H., 31
Wong, B. See Orr, T. E., 308
Wu, L.
—; Weisberg, D. M.; Runt, J.; Felder III, G.; Snyder, A. J.; Rosenberg, G.: An investigation of the *in vivo* stability of poly(ether urethaneurea) blood sacs, 371

Yamato, M.
—; Okuhara, M.; Karikusa, F.; Kikuchi, A.; Sakurai, Y.; Okano, T.: Signal transduction and cytoskeletal reorganization are required for cell detachment from cell culture surfaces grafted with a temperature-responsive polymer, 44
Yasko, A. W. See Peter, S. J., 314
Yasuda, H. K. See Oldfield, F. F., 436
Yaszemski, M. J. See Peter, S. J., 314
Yeo, E. L. See Gorbet, M. B., 289
Yli-Urpo, A. See Kortesuo, P., 162
—; See Peltola, T., 12
Yoshikawa, T. See Ohgushi, H., 381
Yun, J. K.
—; Anderson, J. M.; Ziats, N. P.: Cyclic-strain-induced endothelial cell expression of adhesion molecules and their roles in monocyte–endothelial interaction, 87

Zambaux, M. F.
—; Bonneaux, F.; Gref, R.; Dellacherie, E.; Vigneron, C.: MPEO-PLA nanoparticles: Effect of MPEO content on some of their surface properties, 109
Zhang, R.
—; Ma, P. X.: Poly(α-hydroxyl acids)/hydroxyapatite porous composites for bone-tissue engineering. I. Preparation and morphology, 446
Zhu, X. D. See Du, C., 407
Ziats, N. P. See Yun, J. K., 87
Zreiqat, H.
—; Evans, P.; Howlett, C. R.: Effect of surface chemical modification of bioceramic on phenotype of human bone-derived cells, 389

Journal of Biomedical Materials Research
Subject Index—Volume 44

α_v integrin, 341
Actin, 341
Actin filament, 44
Activation, 222
Adhesion molecules, 87, 156
Adhesion test, 243
Adsorption, 227
Afibrinogenemic plasma, 130
Ag^- implantation, 22
Albumin–heparin conjugate, 330
Alendronate, 456
Alginate, 149, 280
Alumina, 381
Anti-P-selectin blocking MAb, 156
Antibiotics, 198
Antibody, 253
Apatite-like layer, 416
Apoptosis, 429
Artificial heart, 371

β-TCP-MCPM cement, 168
Bacterial biofilms, 198
Basic fibroblast growth factor (bFGF), 330
Bioacoustic effect, 198
Bioactive glass, 243
Bioceramic, 422
Bioceramics, 31
Biocompatibility, 116
Bioglass®, 31
Biomaterial, 78, 98
Biomaterials, 289, 341, 355
Biomechanics, 308
Bioresorbable cement, 168
Bisphenol-A, 73
Bone, 446, 456
Bone cell, 1
Bone cement, 1, 436
Bone growth, 31
Bone tissue engineering, 314

Ca-P ceramic, 98
Calcium phosphate, 78
Calcium phosphates, 31
Capillary action, 53
Cartilage, 149, 217, 308
Cell aggregation, 280
Cell attachment, 1
Cell detachment, 44
Cell–substrate interactions, 206
Ceramic, 78
Coating, 243
Collagen, 280
Complement, 222
Complement consumption, 109
Composite, 446
Contact angle, 22
Convolving method, 407
Crystallization, 397
Cyclic strain, 87
Cytotoxicity, 73

Degradation, 78, 371
Derivatized dextrans, 140
Dextran coating, 140
Differentiation, 176
DNA synthesis, 63
Drug delivery, 162

Elastic modulus, 191
Elastin, 280
Electroactive polymers, 121
Electron microscopy, 78
Ellipsometry, 222
Endocytosis, 140
Endothelial cell, 44
Endothelial cell seeding, 330
Endothelial cells, 87
Endothelial seeding, 156
Engineering of elastic cartilage, 280
ESR, 436
Exudates, 429

Fibrin, 149
Fibrin sealant, 308
Fibrinogen, 253
Fibrinogen adsorption, 130
Fibroblast and leukocyte adhesion, 298
Fibronectin, 1
Fibrosis, 116
Fibrous encapsulation, 298
Finite element analysis, 243
Fissure sealants, 73
Flow cytometry, 289
Foam, 53
Foreign body giant cell, 206
Fracture toughness, 456
Free radical, 436
Freeze-drying, 109

Gene expression, 381
Glass ceramic, 381

Hardness, 191
Heparan-like molecules, 63
Heparin-binding growth factors, 63
Human bone-derived cells, 389
Human bone marrow, 98
Human endothelial cells, 121, 140
Human osteoblast-like cells, 176
Hyaluronic acid, 149
Hybrid bone, 98
Hydrogel, 53
Hydroxyapatite, 31, 266, 322, 422, 446
Hydroxyapatite putty, 322

IgG, 222
Implantable, 162
Implanted medical devices, 198
in situ polymerizable, 314
in vitro bioactivity, 12, 416
in vitro neutrophil activation, 289
in vivo study, 371
Infection, 261
Inflammatory reaction *in vivo*, 429
IR, 397
Isolated chondrocytes, 280
Isopropylacrylamide, 44

Kinetics, 222

LDH method, 130
Leaching, 73
Leukocyte adhesion, 156
Liposomes, 140

Macrophage, 206
Magnesium, 389
Marrow cell, 381
Mechanical property, 217
Mechanical strength, 322
Mesenchymal stem cells, 98
Metal ions, 176

Microcapsule size, 116
Microencapsulation, 116
Microstructure, 266
Monocytes, 87
Monofilament, 261
Monomethoxypoly(ethylene oxyde)-poly(lactic acid), 109
Morphology, 217
Mouse, 78
MRNA, 389
Multifilament, 261
Myoblasts, 355

Nano-HAp/collagen composite, 407
Nanoindentation, 191
Nanoparticles, 109
Neutral sodium hydrogen phosphate, 322
Novel, 422

Optical microscopy, 397
Organ culture, 407
Orthopedic biomaterial, 314
Orthopedics, 1
Osteoblast, 1, 63
Osteogenic potential, 98
Osteolysis, 456

P-selectin (CD62P), 156
Particulate, 31
Periosteal graft, 308
pH, 78
Phenotype expression, 63
Photochemical immobilization, 298
Plasma spraying, 243
Platelet adhesion, 130
Platelets, 253
Poly(methyl methacrylate), 436
Poly(propylene fumarate), 314
Poly(urethaneurea), 371
Polyethylene oxide, 206
Polymer scaffold, 217, 446
Polymers, 253
Polypyrrole heparin, 121
Polystyrene, 22, 130
Pore volume, 12
Protein, 389
Protein adsorption, 298

Raman microscopy, 397
Rat, 222
Recombinant human bone morphogenetic protein-2, 168
Residence time, 253
Resorbable, 31

Self-assembled monolayers, 355
Setting reaction, 322
Shear strength, 308
Silicon, 422
Silicone rubber, 298
Silver negative ions, 22
SiO_2-CaO-P_2O_5 system, 416
Small-diameter vascular grafts, 330
Smart biomaterials, 121
Sol-gel, 12
Sol-gel glasses, 416
Sol-gel-processed silica xerogel, 162
Solubility, 12
Sputtering, 266
Stability, 330
Staphylococcus aureus, 261
Staphylococcus epidermidis, 261
Substitution, 422
Superabsorbent, 53
Superporous hydrogels, 53
Surface area, 12
Surface chemistry, 371
Surface chemistry modification, 389
Surface density, 109
Surface modification, 206
Swelling kinetics, 53

TCP, 31
Tertiary aromatic amine, 436
Thermal desorption spectroscopy, 227
TiO_2, 227
Tissue compatibility, 341
Tissue culture, 381
Tissue distribution, 162
Tissue engineering, 121, 149, 217, 446
Tissue engineering of bone, 407
Tissue reaction, 162
Titanium, 266
Toremifene, 162
Trabecular bone, 191
Transdermal drug delivery, 397
Transplantation, 116
Tyrosine phosphorylation, 44

UHMWPE, 456
Ultrasound, 198
Unsaturated linear polyester, 314

Vascular endothelial cells, 22
Vascular prostheses, 156
Vertebral cortical shell, 191
Vitronectin, 1, 341

Water, 227
Wetting, 53

X-ray diffraction, 416